



General Catalogue 2025

建筑五金 | 家具五金 | 收纳系统 | 遮阳系统



专业五金

系统方案



公司介绍



艾森曼五金（北京）有限公司，成立于2007年，同年工厂在东莞投入运营，是一家集代理、生产、研发及销售为一体的综合型专业五金服务商。

凭借工厂先进的生产设备、强大的研发团队和具有竞争力的价格优势，秉承德国五金一贯的高品质声誉，艾森曼五金（北京）有限公司为众多国内家居业客户提供专业五金方案、批量或定制化产品服务，同时产品远销德国、美国、东南亚等国家和地区。

艾森曼五金（北京）有限公司，洞悉全球五金及大家居行业的趋势潮流，代理销售德国“GRIFFWERK”、“WEKA”、“ANUBA”、“FUHR”，意大利“AGB”、“VIBO”、“Forme”、“ENTO”、“EFFEGIBREVETTI”、“OTLAV”、“OMGE”、“ARTINOX”、“SFS”及“SISCO”等国际知名五金品牌，为客户提供国际领先产品和解决方案。

艾森曼五金（北京）有限公司，拥有经验丰富的研发团队，熟知市场的销售团队，针对大家居行业客户、项目发展商、设计师及终端消费者的不同需求，为客户制定个性化的五金配套解决方案。针对海外目标市场特点，提供符合欧洲标准（EN）、英国标准（BS）、美国标准（ANSI）及中国标准（GB）的五金产品。

我们为您提供：

建筑五金

- 执手
- 锁体
- 锁芯
- 门合页
- 玻璃门五金
- 移门五金
- 门控五金
- 工程五金

家具五金

- 家具铰链
- 连接件
- 橱柜五金
- 衣柜五金

“品质、专业、诚信”是我们一贯的服务宗旨；
“以高品质产品，为客户提供满意的解决方案”是我们一贯的追求目标；
艾森曼五金（北京）有限公司将不断进取，成为您可以信赖的合作伙伴！



Introduction

EISENMANN Hardware Technology (Beijing) Co., Ltd. established in 2007, is a professional comprehensive hardware service provider integrating agent, production, R&D and sales. In the same year, its factory was put into production in Dongguan City.

Relying on advanced production equipment, strong R&D team and competitive price advantage, and adhering to the consistent high-quality reputation of German hardware, **EISENMANN Hardware Technology (Beijing) Co., Ltd.** provides professional hardware solutions, batch or customized product services for many domestic home furnishing customers, with products exported to Germany, the United States, Southeast Asia and other countries and regions.

EISENMANN Hardware Technology (Beijing) Co., Ltd. has an insight into the trends of global hardware and home furnishing industries, and acts as an agent for sales of internationally renowned hardware brands such as "GRIFFWERK", "WEKA", "ANUBA", "FUHR", from Germany, "AGB", "VIBO", "Forme", "ENTO", "SFS", "OTLAV", "OMGE", "ARTINOX", "SISCO", and "EFFEGIBREVETTI" from Italy, so as to provide customers with international leading products and solutions.

EISENMANN Hardware Technology (Beijing) Co., Ltd. has an experienced R&D team and a sales team familiar with the market. It develops personalized hardware supporting solutions for customers according to the different demand of large household industry customers, project developers, designers and end consumers. According to the characteristics of overseas target market, EISENMANN provides hardware products in accordance with European standard (EN), British Standard (BS), American Standard (ANSI) and Chinese standard (GB).

Our product range contains

Architecture Hardware

- Door Handles
- Mortise Lock
- Cylinders
- Hinges
- Glass Door Fittings
- Sliding Door Fittings
- Closers & Floor Springs
- Accessories

Furniture Fittings

- Furniture Hings
- Connecting Fittings
- Kitchen Fittings
- Wardrobe Fittings


"Quality, Professionalism, Integrity" is our consistent service purpose;

"Provide customers with satisfactory solutions with high-quality products" is our consistent goal;


EISENMANN Hardware Technology (Beijing) Co., Ltd. will continue to forge ahead and become your reliable partner!

杯式门铰 Concealed Hinge


开启角度 Opening Angle: 110°




全盖门铰 Full Overlay



半盖门铰 Half Overlay



内嵌门铰 Insert




颜色 Finish	产品编号 Article-No.
全盖铰杯, 镀镍亚光 Full overlay, nickel plated matt	F310.321.101
半盖铰杯, 镀镍亚光 Half overlay, nickel plated matt	F310.321.102
内嵌铰杯, 镀镍亚光 Insert, nickel plated matt	F310.321.103


包装量 / Packing: 250 pcs

杯式门铰 Concealed Hinge


开启角度 Opening Angle: 165°




全盖门铰 Full Overlay



半盖门铰 Half Overlay





内嵌门铰 Insert



颜色 Finish	产品编号 Article-No.
全盖铰杯, 镀镍亚光 Full overlay, nickel plated matt	F310.322.101
半盖铰杯, 镀镍亚光 Half overlay, nickel plated matt	F310.322.103
内嵌铰杯, 镀镍亚光 Insert, nickel plated matt	F310.322.104

包装量 / Packing: 50 pcs

铰座 Mounting Plate



- ▶ 高度调节 $\pm 2\text{mm}$
Height adjustment $\pm 2\text{mm}$
- ▶ 螺钉固定
Screw fixing
- ▶ 钢质, 镀镍亚光
Steel, nickel plated matt

铰座名义高度(mm) Mounting plate distance (mm)	产品编号 Article-No.
-2mm	F320.321.105
-0mm	F320.321.102
2mm	F320.321.100
4mm	F320.321.104

包装量 / Packing: 250 pcs

铰臂装饰盖 Cap for Hinge Arm




颜色 Finish	产品编号 Article-No.
钢质, 镀镍亚光 Steel, nickel plated matt	F340.321.100


包装量 / Packing: 1000 pcs

快装门铰 Quick-Fit Concealed Hinge


开启角度 Opening Angle: 110°




全盖门铰 Full Overlay



半盖门铰 Half Overlay




内嵌门铰 Insert



颜色 Finish	产品编号 Article-No.
全盖铰杯, 镀镍亚光 Full overlay, nickel plated matt	F310.321.204
半盖铰杯, 镀镍亚光 Half overlay, nickel plated matt	F310.321.205
内嵌铰杯, 镀镍亚光 Insert, nickel plated matt	F310.321.206

包装量 / Packing: 250 pcs

快装铰座 Quick-Fit Mounting Plate



	颜色 Finish	产品编号 Article-No.
铰座, 0mm, 镀镍亚光	Plate, 0mm, nickel plate matt	F320.321.299
铰座, 2mm, 镀镍亚光	Plate, 2mm, nickel plate matt	F320.321.298
铰座, 4mm, 镀镍亚光	Plate, 4mm, nickel plate matt	F320.321.297

包装量 / Packing: 250 pcs

铰臂装饰盖 Cap for Hinge Arm




铰杯装饰盖 Cap for Hinge Cup



	颜色 Finish	产品编号 Article-No.
铰臂装饰盖, 镀镍亚光	Cap for hinge arm, nickel plated matt	F340.321.299
铰杯装饰盖, 镀镍亚光	Cap for hinge cup, nickel plated matt	F330.321.299


包装量 / Packing: 1000 pcs



- ▶ 用于木质或铝框门，带阻尼
Applicable for wooden/aluminum door, with Soft closing
- ▶ 开启角度 100°
Opening angle 100°
- ▶ 三维可调范围：上下调节±2mm，前后调节-0.5~+2mm，左右调节±2mm
With 3D adjustment: vertical ±2mm, depth front-0.5 mm / back 2 mm , and horizontal ±2mm
- ▶ 门板厚度 20-40 mm
Applicable for door thickness 20-40 mm
- ▶ 最大门重 30 kg
Max.door weight 30 kg
- ▶ 需要区分左右式
Divided into left and right
- ▶ 表面处理：镀镍色/黑色，配同色扣盖
Finishes: nickel plated or black nickel plated, supplied with the same color cover

DS30铝框门配件 Bracket for Aluminium Doors


EFFEGIBREVETTI



材质：锌合金 / Material: Zinc Alloy


DS30木门配件 Fixing Support for Wooden Doors

EFFEGIBREVETTI



材质：锌合金 / Material: Zinc Alloy

三维可调隐藏式合页 929 - 3D




- ▶ 三维可调范围: 上下 ± 2.0 mm、前后 $+2.0$ mm/ -1.0 mm、左右 ± 1.0 mm
With 3D adjustment: vertical ± 2.5 mm, depth $+2.0$ mm/ -1.0 mm and horizontal ± 2.0 mm
- ▶ 开启角度 180°
Opening angle 180°
- ▶ 2 / 3合页最大承重 14kg / 18 kg
Max.door weight by 2 / 3 hinges 14kg / 18 kg
- ▶ 适合门扇厚度 ≥ 18 mm
For door thickness ≥ 18 mm
- ▶ 门扇最大宽度 600 mm
Max.door width 600 mm
- ▶ 门扇最大高度 2100mm
Max.door height 2100mm
- ▶ 不区分左右, 方便安装
Hinge is not classify to left/right hand
- ▶ 整盒包含20只合页
Each box contains 20 hinges.




材质: 锌合金 / Material: Zinc Alloy

颜色 Finish	产品编号 Article-No.
银色 Silver colored	CI000929ARG00
金色 Gold colored	CI000929OTT00
哑黑色 Black matt	CI000929VNO00


深度调节 Depth adjustment




上下方向调节 Vertical adjustment




水平方向调节 Horizontal adjustment



三维可调隐藏式合页 VE12 - 3D



- ▶ 三维可调范围：上下 ± 1.5 mm、前后 ± 1.0 mm、左右 ± 1.5 mm
With 3D adjustment: vertical ± 1.5 mm, depth ± 1.0 mm and horizontal ± 1.5 mm
- ▶ 开启角度 180°
Opening angle 180°
- ▶ 2/3个合页最大承重 9 kg / 12kg
Max.door weight by 2/3 hinges 9 kg / 12kg
- ▶ 适合门扇厚度 19-21 mm
For door thickness 19-21 mm
- ▶ 门扇最大宽度 600 mm
Max.door width 600 mm
- ▶ 门扇最大高度 1200mm
Max.door height 1200mm
- ▶ 不区分左右，方便安装
Hinge is not classify to left/right hand




材质：锌合金 / Material: Zinc Alloy


颜色 Finish	产品编号 Article-No.
砂铬色 Satin chrome	A452.050.012
亮金色 Brass color polished	A452.080.012
枪色 Gun metal	A452.160.012
哑黑色 Black matt	A452.150.012



三维可调隐藏式合页 VE15A - 3D



- ▶ 三维可调范围：上下 ± 2.5 mm、前后 ± 1.0 mm、左右 ± 2.0 mm
With 3D adjustment: vertical ± 2.5 mm, depth ± 1.0 mm and horizontal ± 2.0 mm
- ▶ 开启角度 180°
Opening angle 180°
- ▶ 2 个合页最大承重 15 kg
Max.door weight by 2 hinges 15 kg
- ▶ 适合门扇厚度 24-40 mm
For door thickness 24-40 mm
- ▶ 门扇最大宽度 850 mm
Max.door width 850 mm
- ▶ 门扇最大高度 2100mm
Max.door height 2100mm
- ▶ 不区分左右，方便安装
Hinge is not classify to left/right hand




材质：锌合金 / Material: Zinc Alloy

颜色 Finish	产品编号 Article-No.
砂铬色 Satin chrome	A452.050.015
拉丝金色 Brass matt brushed	A452.070.015
哑黑色 Black matt	A452.150.015







阻尼器 Soft Closing




阻尼杆 Buffer Stick



T型安装支架 T Mounting Adapter



H型安装支架 H Mounting Adapter




颜色 Finish	产品编号 Article-No.
阻尼杆, 塑料, 灰色 Stick, plastic grey	F396.710.000
T型底座, 塑料, 灰色 T adapter, plastic grey	F396.710.001
H型底座, 塑料, 灰色 H adapter, plastic grey	F396.710.002

包装量 / Packing: 50 pcs

全拉伸三节轨 Full Extension Runner




安装示意图





拆卸

通过扳动滑轨侧面卡扣拆卸



距柜体前缘尺寸



镀蓝锌

电泳黑


最大承重 / Max. Load Capacity: 30 kg

安装长度L (mm)	拉伸长度AL (mm)	镀蓝锌 Galvanized	电泳黑 Black colored
250	250	F420.212.325	F420.232.325
300	300	F420.212.330	F420.232.330
350	350	F420.212.335	F420.232.335
400	400	F420.212.340	F420.232.340
450	450	F420.212.345	F420.232.345
500	500	F420.212.350	F420.232.350
550	550	F420.212.355	F420.232.355
600	600	F420.212.360	F420.232.360


包装量 / Packing: 5 sets

自回弹隐藏滑轨 Self-Closing Runner, Bottom Mounted


半拉伸，带阻尼
Single Extension with Damping




安装示意图



应用和设计安装尺寸



距柜体前缘尺寸




最大承重 / Max. Load Capacity: 30 kg

安装长度L (mm)	拉伸长度AL (mm)	镀锌 Zinc plated
250	250	F430.213.125
300	300	F430.213.130
350	350	F430.213.135
400	400	F430.213.140
450	450	F430.213.145
500	500	F430.213.150
550	550	F430.213.155
600	600	F430.213.160


包装量 / Packing: 5 sets

自回弹隐藏滑轨 Self-Closing Runner, Bottom Mounted


全拉伸，带阻尼
Full Extension with Damping




距柜体前缘尺寸



安装示意图



应用和设计安装尺寸



最大承重 / Max. Load Capacity: 30 kg

安装长度L (mm)	拉伸长度AL (mm)	镀锌 Zinc plated
250	250	F430.213.225
300	300	F430.213.230
350	350	F430.213.235
400	400	F430.213.240
450	450	F430.213.245
500	500	F430.213.250
550	550	F430.213.255
600	600	F430.213.260

包装量 / Packing: 5 sets



微信公众号



小红书

艾森曼五金(北京)有限公司

Eisenmann Hardware Technology (Beijing) Co., Ltd.

北京市朝阳区朝阳门北大街乙12号

北京北辰大厦1201室

邮编: 100020

电话: +86-10-8563 6995

传真: +86-10-8563 6997

网址: www.eisenmann-hardware.com

邮箱: info@eisenmann-hardware.com

Rm.1201, Beijing Timeson Tower

No.Yi 12, Chaoyangmen North. Str.

Chaoyang District, Beijing, CHN-100020, China

Tel : +86-10-8563 6995

Fax : +86-10-8563 6997

Web : www.eisenmann-hardware.com

E-mail : info@eisenmann-hardware.com