



General Catalogue 2025

建筑五金 | 家具五金 | 收纳系统 | 遮阳系统



专业五金

系统方案



公司介绍



艾森曼五金（北京）有限公司，成立于2007年，同年工厂在东莞投入运营，是一家集代理、生产、研发及销售为一体的综合型专业五金服务商。

凭借工厂先进的生产设备、强大的研发团队和具有竞争力的价格优势，秉承德国五金一贯的高品质声誉，艾森曼五金（北京）有限公司为众多国内家居业客户提供专业五金方案、批量或定制化产品服务，同时产品远销德国、美国、东南亚等国家和地区。

艾森曼五金（北京）有限公司，洞悉全球五金及大家居行业的趋势潮流，代理销售德国“GRIFFWERK”、“WEKA”、“ANUBA”、“FUHR”，意大利“AGB”、“VIBO”、“Forme”、“ENTO”、“EFFEGIBREVETTI”、“OTLAV”、“OMGE”、“ARTINOX”、“SFS”及“SISCO”等国际知名五金品牌，为客户提供国际领先产品和解决方案。

艾森曼五金（北京）有限公司，拥有经验丰富的研发团队，熟知市场的销售团队，针对大家居行业客户、项目发展商、设计师及终端消费者的不同需求，为客户制定个性化的五金配套解决方案。针对海外目标市场特点，提供符合欧洲标准（EN）、英国标准（BS）、美国标准（ANSI）及中国标准（GB）的五金产品。

我们为您提供：

建筑五金

- 执手
- 锁体
- 锁芯
- 门合页
- 玻璃门五金
- 移门五金
- 门控五金
- 工程五金

家具五金

- 家具铰链
- 连接件
- 橱柜五金
- 衣柜五金

“品质、专业、诚信”是我们一贯的服务宗旨；
“以高品质产品，为客户提供满意的解决方案”是我们一贯的追求目标；
艾森曼五金（北京）有限公司将不断进取，成为您可以信赖的合作伙伴！



Introduction

EISENMANN Hardware Technology (Beijing) Co., Ltd. established in 2007, is a professional comprehensive hardware service provider integrating agent, production, R&D and sales. In the same year, its factory was put into production in Dongguan City.

Relying on advanced production equipment, strong R&D team and competitive price advantage, and adhering to the consistent high-quality reputation of German hardware, **EISENMANN Hardware Technology (Beijing) Co., Ltd.** provides professional hardware solutions, batch or customized product services for many domestic home furnishing customers, with products exported to Germany, the United States, Southeast Asia and other countries and regions.

EISENMANN Hardware Technology (Beijing) Co., Ltd. has an insight into the trends of global hardware and home furnishing industries, and acts as an agent for sales of internationally renowned hardware brands such as "GRIFFWERK", "WEKA", "ANUBA", "FUHR", from Germany, "AGB", "VIBO", "Forme", "ENTO", "SFS", "OTLAV", "OMGE", "ARTINOX", "SISCO", and "EFFEGIBREVETTI" from Italy, so as to provide customers with international leading products and solutions.

EISENMANN Hardware Technology (Beijing) Co., Ltd. has an experienced R&D team and a sales team familiar with the market. It develops personalized hardware supporting solutions for customers according to the different demand of large household industry customers, project developers, designers and end consumers. According to the characteristics of overseas target market, EISENMANN provides hardware products in accordance with European standard (EN), British Standard (BS), American Standard (ANSI) and Chinese standard (GB).

Our product range contains

Architecture Hardware

- Door Handles
- Mortise Lock
- Cylinders
- Hinges
- Glass Door Fittings
- Sliding Door Fittings
- Closers & Floor Springs
- Accessories

Furniture Fittings


- Furniture Hings
- Connecting Fittings
- Kitchen Fittings
- Wardrobe Fittings

"Quality, Professionalism, Integrity" is our consistent service purpose;

"Provide customers with satisfactory solutions with high-quality products" is our consistent goal;

EISENMANN Hardware Technology (Beijing) Co., Ltd. will continue to forge ahead and become your reliable partner!

横杆 Hang Rail




材质: 铝板 / Material: Aluminum

颜色 Finish	产品编号 Article-No.
枪灰色 Gun Metal	K113.160.800
	K113.160.120



纸巾架 Kitchen Tissue Holder




材质: 不锈钢 / Material: Stainless Steel

颜色 Finish	产品编号 Article-No.
枪灰色 Gun Metal	K131.160.001



置物架 Shelf




材质: 不锈钢 / Material: Stainless Steel

颜色 Finish	宽32cm Width32cm	宽50cm Width50cm
枪灰色 Gun Metal	K141.160.001-320	K141.160.001-500



枪灰色

平板置物架 Shelf




材质: 不锈钢 / Material: Stainless Steel

颜色 Finish	产品编号 Article-No.
枪灰色 Gun Metal	K141.160.002



枪灰色

双挂钩 Double Hook




材质: 不锈钢 / Material: Stainless Steel

颜色 Finish	产品编号 Article-No.
枪灰色 Gun Metal	K121.160.002



枪灰色

锅盖架 Pot Lid Rack



材质: 不锈钢 / Material: Stainless Steel

颜色 Finish	产品编号 Article-No.
枪灰色 Gun Metal	K161.160.001



枪灰色

刀架 Knife Holder





材质: 不锈钢 / Material: Stainless Steel

颜色 Finish	宽22cm Width22cm	宽32cm Width32cm
枪灰色 Gun Metal	K171.160.001	K171.160.002



筷子笼 Chopstick Box



材质: 不锈钢 / Material: Stainless Steel

颜色 Finish	单筷子笼 Single	双筷子笼 Double
枪灰色 Gun Metal	K151.160.001	K151.160.002




上翻支撑 Flap Stay

开启角度 Opening Angle: 75°、90°、110°




安装尺寸 Installation Measurement




开启角度	尺寸 A mm	尺寸 C mm
75°	176.5	148
90°	176.5	106
110°	143.5	108

安装方法 Installation

- 1) 通过螺丝钉将安装件固定到柜体侧板上
Screw on the mounting adapter to the side wooden panel





- 2) 用螺钉将另一安装件固定到木质翻板上
Fix another mounting adapter to the wooden flap panel




或

- 2) 用螺钉将另一安装件固定到铝框上
Fix another mounting adapter to the aluminum frame



铝门框配件 Adapter for Aluminum Frame




	钢质, 镀镍亚光 Steel, nickel plated
上翻支撑 Flap stay	F342.320.000
铝框门配件 Adapter for aluminum frame	F340.329.000

包装 / Packing: 25 pcs

汽缸式上翻支撑 Lid Stay with Piston Rod

开启角度 Opening Angle: 90°
支撑力 Support Force: 100 N

安装示意图 Installation Pattern



	钢质, 镀镍亚光 Steel, nickel plated
上翻支撑 Flap stay	F342.330.000

包装 / Packing: 10 pcs

铝框门配件 Adapter for Aluminum Frame





	钢质, 镀镍亚光 Steel, nickel plated
铝框门配件 Adapter for aluminum frame	F340.339.000


包装 / Packing: 25 pcs

明装吊码 Cabinet Hanger

每对承重: 150 kg
Load Capacity: 150 kg/pair



安装说明 Installation




- 高度调节16mm
Vertical adjustment 16mm
- 前后调节5mm
Depth adjustment 5mm
- 左右调节6mm
Lateral adjustment 6mm

钢质支撑件, 配白色塑料外壳 Steel support part with white plastic cover	左式 DIN left	右式 DIN right
	F 820.619.101	F 820.619.102

包装 / Packing: 50 pcs

隐藏式吊码 Concealed Cabinet Hanger

每对承重: 130 kg
Load Capacity: 130 kg/pair




- 高度调节15mm
Vertical adjustment 15mm
- 前后调节最大8mm
Depth adjustment max. 8mm
- 左右调节: 采用吊钩时8mm, 采用吊片时16mm
Lateral adjustment: Approx. 8mm (with hook), max. 16mm (with wall rail)

钢质镀锌, 配塑料灰色装饰盖 Steel, zinc plated, with grey plastic cap	左式 DIN left	右式 DIN right
	F820.219.103	F820.219.104

包装 / Packing: 50 pcs

挂片 Mounting Bracket



材质 Material	产品编号 Article-No.
钢质镀锌 Steel, zinc plated	F820.219.106


包装 / Packing: 100 pcs

侧帮抽屉 Metal Drawer Runner

半拉伸, 高度86mm
Single Extension, Height 86mm




安装尺寸
Installation dimensions




抽屉内的宽度=箱体的净宽 - 31 mm
Drawer base width = internal carcass width - 31 mm
抽屉内的长度=滑轨的长度-背板的厚度 - 2 mm
Drawer base length = nominal length-2mm - rear panel thickness

安装示意图
Installation



打孔尺寸
Drilling dimensions




轨道长度NL Normal length NL	拉伸长度AL Extension length AL	喷粉颜色 Finish	产品编号 Article-No.
300mm	213mm	喷粉, 白色, RAL 9010 powder coated, white, RAL 9010	F820.142.130
350mm	263mm	喷粉, 白色, RAL 9010 powder coated, white, RAL 9010	F820.142.135
400mm	313mm	喷粉, 白色, RAL 9010 powder coated, white, RAL 9010	F820.142.140
450mm	363mm	喷粉, 白色, RAL 9010 powder coated, white, RAL 9010	F820.142.145
500mm	413mm	喷粉, 白色, RAL 9010 powder coated, white, RAL 9010	F820.142.150
300mm	213mm	喷粉, 灰色, RAL 9006 powder coated, grey, RAL 9006	F820.132.130
350mm	263mm	喷粉, 灰色, RAL 9006 powder coated, grey, RAL 9006	F820.132.135
400mm	313mm	喷粉, 灰色, RAL 9006 powder coated, grey, RAL 9006	F820.132.140
450mm	363mm	喷粉, 灰色, RAL 9006 powder coated, grey, RAL 9006	F820.132.145
500mm	413mm	喷粉, 灰色, RAL 9006 powder coated, grey, RAL 9006	F820.132.150

SPEEDY 弧形钢抽 Drawer Box



安装方式




标准配置 Supplied with:

1. 全拉伸自闭阻尼滑轨	1付	Full extension runners with self-closing and damping	1 pr
2. 弧形抽屉帮	1付	Drawer sides	1 pr
3. 抽屉面板连接件	1付	Front adapters	1 pr
4. 抽屉后堵卡码	1付	Rear adapters	1 pr
5. 装饰盖	1付	Trim caps	1 pr


总装图

General Assembly Drawing



装配尺寸图


Assembly Dimensions





		产品编号 Article-No.
长度260mm, 灰色, 带自闭及阻尼	260mm, grey, with self-closing and damping	F820.002.026
长度350mm, 灰色, 带自闭及阻尼	350mm, grey, with self-closing and damping	F820.002.035
长度420mm, 灰色, 带自闭及阻尼	420mm, grey, with self-closing and damping	F820.002.042
长度470mm, 灰色, 带自闭及阻尼	470mm, grey, with self-closing and damping	F820.002.047
长度520mm, 灰色, 带自闭及阻尼	520mm, grey, with self-closing and damping	F820.002.052

弧形钢抽安装说明 Installation Manual for Drawer Box


1. 面板接连 Front connecting





2. 面板调节与拆装 Adjustment, assembly and disassembly of front




3. 后背板安装 Rear panel assembly



4. 滑轨安装 Runner assembly



SPEEDY 高身弧形钢抽 Drawer Box with Railing




标准配置 Supplied with:


1. 全拉伸自闭阻尼滑轨	1付	Full extension runners with self-closing and damping	1 pr
2. 弧形抽屉帮	1付	Drawer sides	1 pr
3. 抽屉面板连接件	1付	Front adapters	1 pr
4. 纵杆及纵杆座	2套	Longitudinal rails & adapters	2 sets
5. 抽屉加高后堵卡码	1付	Rear adapters	1 pr
6. 装饰盖	1付	Trim caps	1 pr

		产品编号 Article-No.
长度260mm, 灰色, 带自闭及阻尼	260mm, grey, with self-closing and damping	F820.002.126
长度350mm, 灰色, 带自闭及阻尼	350mm, grey, with self-closing and damping	F820.002.135
长度420mm, 灰色, 带自闭及阻尼	420mm, grey, with self-closing and damping	F820.002.142
长度470mm, 灰色, 带自闭及阻尼	470mm, grey, with self-closing and damping	F820.002.147
长度520mm, 灰色, 带自闭及阻尼	520mm, grey, with self-closing and damping	F820.002.152

总装图
General Assembly Drawing




装配尺寸图
Assembly Dimensions




高身弧形钢抽安装说明 Installation Manual for Drawer Box with Railing


1. 面板接连 Front connecting




2. 面板安装 Front panel assembly



3. 后背板安装 Rear panel assembly



4. 滑轨安装 Runner assembly



5. 加高杆拆装 Railing assembly and disassembly



- 简便的纵杆安装
- 纵杆旋入后纵杆座
 - 用手扣入前纵杆座

- Easy railing assembly
- The longitudinal railings for pot-and-pan drawers are inserted in back mount for it...
 - ...and clicked into place without tools



- 简便的纵杆安装
- 轻松转动纵杆调节前面板角度

- Easy railing assembly
- The front panel angle is adjusted by simply turning the railing.

全拉伸自闭阻尼滑轨 Full Extension Runners with Self-closing and Damping

钢质镀锌, 全拉伸, 承重: 30 kg

Steel, zinc plated, full extension, load capacity: 30 kg



长度 Length	产品编号 Article-No.
260mm	F820.212.026
350mm	F820.212.035
420mm	F820.212.042
470mm	F820.212.047
520mm	F820.212.052

侧帮 Drawer Sides

钢质喷粉, 灰色RAL 9006, 高度86mm

Steel, powder coated, grey RAL 9006, height 86mm



长度 Length	产品编号 Article-No.
260mm	F820.132.026
350mm	F820.132.035
420mm	F820.132.042
470mm	F820.132.047
520mm	F820.132.052

前面板连接件 Front Adapter

塑料, 白色
Plastic, white



后堵卡码 Rear Adapter

钢质, 镀镍亚光
Steel, nickel plated

普通款 For drawer without railing
加高款 For drawer with railing



装饰盖 Trim Cap

塑料, 灰色
Plastic, grey



	产品编号 Article-No.
前面板连接件 Front adapters	F826.612.000
装饰盖 Trim caps	F826.722.000
后端堵 Rear adapters	F820.212.000
加高后端堵 Rear adapters for railing drawer	F820.212.001

包装 / Packing: 250 prs

纵杆及纵杆座

Longitudinal Rail & Adapter



	产品编号 Article-No.
纵向加高杆(含卡码) Longitudinal rail with adapter	F820.212.200

铝合金加高杆 Aluminum Rail



横向加高杆卡码 Adapter for Horizontal Rail



	产品编号 Article-No.
铝合金加高杆 喷粉, 灰色RAL9006, 长度1200mm Aluminum rail powder coated, grey RAL 9006, length 1200mm	F820.212.100
横向加高杆卡码 Adapter for horizontal rail	F820.212.101



微信公众号



小红书

艾森曼五金(北京)有限公司

Eisenmann Hardware Technology (Beijing) Co., Ltd.

北京市朝阳区朝阳门北大街乙12号

北京天辰大厦1201室

邮编: 100020

电话: +86-10-8563 6995

传真: +86-10-8563 6997

网址: www.eisenmann-hardware.com

邮箱: info@eisenmann-hardware.com

Rm.1201, Beijing Timeson Tower

No.Yi 12, Chaoyangmen North. Str.

Chaoyang District, Beijing, CHN-100020, China

Tel : +86-10-8563 6995

Fax : +86-10-8563 6997

Web : www.eisenmann-hardware.com

E-mail : info@eisenmann-hardware.com