



General Catalogue 2025

建筑五金 | 家具五金 | 收纳系统 | 遮阳系统




专业五金

系统方案



公司介绍



艾森曼五金（北京）有限公司，成立于2007年，同年工厂在东莞投入运营，是一家集代理、生产、研发及销售为一体的综合型专业五金服务商。

凭借工厂先进的生产设备、强大的研发团队和具有竞争力的价格优势，秉承德国五金一贯的高品质声誉，艾森曼五金（北京）有限公司为众多国内家居业客户提供专业五金方案、批量或定制化产品服务，同时产品远销德国、美国、东南亚等国家和地区。

艾森曼五金（北京）有限公司，洞悉全球五金及大家居行业的趋势潮流，代理销售德国“GRIFFWERK”、“WEKA”、“ANUBA”、“FUHR”，意大利“AGB”、“VIBO”、“Forme”、“ENTO”、“EFFEGIBREVETTI”、“OTLAV”、“OMGE”、“ARTINOX”、“SFS”及“SISCO”等国际知名五金品牌，为客户提供国际领先产品和解决方案。

艾森曼五金（北京）有限公司，拥有经验丰富的研发团队，熟知市场的销售团队，针对大家居行业客户、项目发展商、设计师及终端消费者的不同需求，为客户制定个性化的五金配套解决方案。针对海外目标市场特点，提供符合欧洲标准（EN）、英国标准（BS）、美国标准（ANSI）及中国标准（GB）的五金产品。

我们为您提供：

建筑五金

- 执手
- 锁体
- 锁芯
- 门合页
- 玻璃门五金
- 移门五金
- 门控五金
- 工程五金

家具五金

- 家具铰链
- 连接件
- 橱柜五金
- 衣柜五金

“品质、专业、诚信”是我们一贯的服务宗旨；
“以高品质产品，为客户提供满意的解决方案”是我们一贯的追求目标；
艾森曼五金（北京）有限公司将不断进取，成为您可以信赖的合作伙伴！



Introduction

EISENMANN Hardware Technology (Beijing) Co., Ltd. established in 2007, is a professional comprehensive hardware service provider integrating agent, production, R&D and sales. In the same year, its factory was put into production in Dongguan City.

Relying on advanced production equipment, strong R&D team and competitive price advantage, and adhering to the consistent high-quality reputation of German hardware, **EISENMANN Hardware Technology (Beijing) Co., Ltd.** provides professional hardware solutions, batch or customized product services for many domestic home furnishing customers, with products exported to Germany, the United States, Southeast Asia and other countries and regions.

EISENMANN Hardware Technology (Beijing) Co., Ltd. has an insight into the trends of global hardware and home furnishing industries, and acts as an agent for sales of internationally renowned hardware brands such as "GRIFFWERK", "WEKA", "ANUBA", "FUHR", from Germany, "AGB", "VIBO", "Forme", "ENTO", "SFS", "OTLAV", "OMGE", "ARTINOX", "SISCO", and "EFFEGIBREVETTI" from Italy, so as to provide customers with international leading products and solutions.

EISENMANN Hardware Technology (Beijing) Co., Ltd. has an experienced R&D team and a sales team familiar with the market. It develops personalized hardware supporting solutions for customers according to the different demand of large household industry customers, project developers, designers and end consumers. According to the characteristics of overseas target market, EISENMANN provides hardware products in accordance with European standard (EN), British Standard (BS), American Standard (ANSI) and Chinese standard (GB).

Our product range contains

Architecture Hardware

- Door Handles
- Mortise Lock
- Cylinders
- Hinges
- Glass Door Fittings
- Sliding Door Fittings
- Closers & Floor Springs
- Accessories

Furniture Fittings


- Furniture Hings
- Connecting Fittings
- Kitchen Fittings
- Wardrobe Fittings

"Quality, Professionalism, Integrity" is our consistent service purpose;

"Provide customers with satisfactory solutions with high-quality products" is our consistent goal;

EISENMANN Hardware Technology (Beijing) Co., Ltd. will continue to forge ahead and become your reliable partner!

门合页 Butt Hinge




- ▶ 三合页最大承重 Max. Load Capacity with 3 Hinges
 102 × 76×3mm 70 kg
 102×102×3mm 80 kg



材质: 不锈钢 / Material: Stainless Steel

不锈钢拉丝 Stainless steel matt	不锈钢抛光 Stainless steel polished	PVD金色抛光 PVD brass polished	PVD金色亚光 PVD satin brass	青古铜 Antique brass	红古铜 Antique copper
102×76×3mm, 2BB					
A410.010.000	A410.030.000	A410.550.000	A410.560.000	A410.370.000	A410.380.000
102×102×3mm, 2BB					
A410.010.001	A410.030.001	A410.550.001	A410.560.001	A410.370.001	A410.380.001
102×76×3mm, 4BB					
A410.010.004	A410.030.004	A410.550.004	A410.560.004	A410.370.004	A410.380.004
102×102×3mm, 4BB					
A410.010.005	A410.030.005	A410.550.005	A410.560.005	A410.370.005	A410.380.005

门合页 Butt Hinge





- ▶ 三合页最大承重 Max. Load Capacity with 3 Hinges 40 kg



材质: 不锈钢 / Material: Stainless Steel

不锈钢拉丝 Stainless steel matt	不锈钢抛光 Stainless steel polished	PVD金色抛光 PVD brass polished	PVD金色亚光 PVD satin brass	青古铜 Antique brass	红古铜 Antique copper
尺寸 / Size: 102×71×2.5mm Ø12mm					
A410.010.010	A410.030.010	A410.550.010	A410.560.010	A410.370.010	A410.380.010

门合页 Butt Hinge



▶ 三合页最大承重 Max. Load Capacity with 3 Hinges

D=13mm 50 kg
D=16mm 70 kg





不锈钢拉丝 不锈钢抛光 PVD金色抛光 PVD金色亚光 青古铜 红古铜

材质: 不锈钢 / Material: Stainless Steel

	不锈钢拉丝 Stainless steel matt	不锈钢抛光 Stainless steel polished	PVD金色抛光 PVD bass polished	PVD金色亚光 PVD satin brass	青古铜 Antique brass	红古铜 Antique copper
A款尺寸 / Size of Type A: 100×86×3mm, Ø13mm						
左式 DL	A410.011.009	A410.031.009	A410.551.009	A410.561.009	A410.371.009	A410.381.009
右式 DR	A410.012.009	A410.032.009	A410.552.009	A410.562.009	A410.372.009	A410.382.009
B款尺寸 / Size of Type B: 140×86×3mm, Ø16mm						
左式 DL	A410.011.010	A410.031.010	A410.551.010	A410.561.010	A410.371.010	A410.381.010
右式 DR	A410.012.010	A410.032.010	A410.552.010	A410.562.010	A410.372.010	A410.382.010

门合页 Butt Hinge



▶ 三合页最大承重 Max. Load Capacity with 3 Hinges

D=13mm 50 kg
D=16mm 70 kg




不锈钢拉丝 不锈钢抛光 PVD金色抛光 PVD金色亚光 青古铜 红古铜

材质: 不锈钢 / Material: Stainless Steel

	不锈钢拉丝 Stainless steel matt	不锈钢抛光 Stainless steel polished	PVD金色抛光 PVD bass polished	PVD金色亚光 PVD satin brass	青古铜 Antique brass	红古铜 Antique copper
A款尺寸 / Size of Type A: 100×86×3mm, Ø13mm						
左式 DL	A410.011.015	A410.031.015	A410.551.015	A410.561.015	A410.371.015	A410.381.015
右式 DR	A410.012.015	A410.032.0156	A410.552.015	A410.562.015	A410.372.015	A410.382.015
B款尺寸 / Size of Type B: 140×86×3mm, Ø16mm						
左式 DL	A410.011.016	A410.031.016	A410.551.016	A410.561.016	A410.371.016	A410.381.016
右式 DR	A410.012.016	A410.032.016	A410.552.016	A410.562.016	A410.372.016	A410.382.016

门合页 Butt Hinge



▶ 三合页最大承重 Max. Load Capacity with 3 Hinges 80 kg




不锈钢拉丝

材质: 不锈钢 / Material: Stainless Steel

	不锈钢拉丝 Stainless steel matt
102×102×3mm, 4BB	A410.010.008

无油静音重型合页 Butt Hinge



- ▶ 3个合页最大承重 160 kg
Max. door weight by 3 hinges 160 kg
- ▶ 配不锈钢防撬销 1 个
Supplied with loose pin 1 pc
- ▶ 适用于木质门或者钢质门
Applicable for wooden door or steel door



不锈钢拉丝色





哑黑色

*材质: 不锈钢 / Material: Stainless Steel

颜色 Finish	产品编号 Article-No.
不锈钢拉丝色 Stainless steel matt	A410.010.543
哑黑色 Black matt	A410.150.543

门合页 Butt Hinge



- ▶ 三合页最大承重 Max. Load Capacity with 3 Hinges 80 kg




不锈钢拉丝

材质: 不锈钢 / Material: Stainless Steel

	不锈钢拉丝 Stainless steel matt
102x102x3mm, 4BB	A410.010.011

无油静音重型合页 Butt Hinge



A	B	C
101.6mm	101.6 mm	3mm
127 mm	101.6 mm	3mm

- ▶ 3个合页最大承重 160 kg
Max. door weight by 3 hinges 160 kg
- ▶ 配不锈钢防撬销 1个
Supplied with loose pin 1 pc
- ▶ 适用于木质门或者钢质门
Applicable for wooden door or steel door



不锈钢拉丝色






哑黑色

*材质: 不锈钢 / Material: Stainless Steel

颜色 Finish	4寸 4"	5寸 5"
不锈钢拉丝色 Stainless steel matt	A410.010.020/433	A410.010.020/543
哑黑色 Black matt	A410.150.020/433	A410.150.020/543

液压自闭平合页 Self-Closing Butt Hinge



- 适用于：木质门，金属门等平口门
- 开启角度：180°
- 合页最大承重：80kg
- 门扇最大宽度：900mm
- 门扇最大高度：2100mm
- 整套包括：合页3只、内六角扳手1个



氧化金



银灰色




氧化黑

*材质：铝合金 / Material: Aluminum


颜色 Finish	产品编号 Article-No.
氧化金色 Gold colored	A443.430.003
银灰色 Silver colored	A443.410.003
氧化黑色 Black colored	A443.450.003

液压自闭平合页 Self-Closing Butt Hinge


闭门分段示意图



开孔尺寸




安装及调节



- (1) 安装前请确认箭头向上；
- (2) 闭门力调整：需在闭门状态下进行，顺时针力度增大、闭门速度快，逆时针力度减小、闭门速度慢，同一门扇上的合页闭门力需保持一致；
- (3) 静音/闭锁功能转换：出厂预置为闭锁功能，顺时针调节可转换为静音功能，静音功能则在最后15°继续缓冲关门，无闭锁力。

天地轴合页 Pivot Hinge




► 最大承重 Max. Load Capacity 40 kg

材质: 不锈钢 / Material: Stainless Steel

二维可调, 外露轴 2D adjustable, visible pivot	不锈钢拉丝 Stainless steel matt	不锈钢抛光 Stainless steel polished	PVD金色抛光 PVD bass polished	PVD金色亚光 PVD satin brass
	A430.010.013	A430.030.013	A430.550.013	A430.560.013

天地轴合页 Pivot Hinge




► 最大承重 Max. Load Capacity 40 kg

材质: 钢 / Material: Steel

三维可调, 暗藏轴 3D adjustable, invisible pivot	镀镍拉丝 Nickel plated	镀锌 Zinc plated
	A432.320.014	A432.210.014

CIR二维可调天地轴合页 CIR 2D Adjustable Pivot Hinge




- ▶ 二维可调范围: 左右±3mm、前后±1.5mm
With 2D adjustment: horizontal ±3mm and depth ±1.5 mm
- ▶ 开启角度 110°
Opening angle 110°
- ▶ 最大承重 70 kg
Max. Load Capacity 70 kg
- ▶ 门扇最小厚度 40 mm
Min.door thickness 40 mm
- ▶ 门扇最大宽度 1000 mm
Max.door width 1000 mm
- ▶ 不区分左右, 隐藏式安装
Hinge is not classify to left/right hand, concealed installation



	颜色 Finish	产品编号 Article-No.
合页 Hinge	镀铬亮光 Chrome polished	1272272
装饰盖 Cap	黑色 Black	771111
	白色 White	768006
	棕色 Brown	768007
	镀铬亮光 Chrome polished	766666
	镀铬哑光 Satin Chrome	1100909
	金色 Golden	766667

三叉合页门扇部分 Drill-In Hinge: Door Leaf Part

ANUBA



► 两合页最大承重 Max. Load Capacity with 2 Hinges 40 kg


	镀镍亚光 Nickel plated
D=15mm	A420.322.000



钢质镀镍

三叉合页门框部分 Drill-In Hinge: Door Frame Part

ANUBA





► 两合页最大承重 Max. Load Capacity with 2 Hinges 40kg

	镀镍亚光 Nickel plated
D=15mm	A420.320.001



钢质镀镍




三叉合页压紧片 Receiver for Drill-In Hinges



钢质镀锌

安装高度7.8mm, 不分左右式 Height 7.8mm, Non-handed	钢质镀锌 Steel, zinc plated
	A420.210.000

隐藏合页 Concealed Hinge



主体材质: 锌合金 / Material of Body: Zinc Alloy

门厚 Door thickness	尺寸 A Size A	尺寸 B Size B	尺寸 C Size C	尺寸 D Size D	镀铜亚光 Brass plated colored	镀镍拉丝 Nickel matt brushed
19-25mm	13	60	32	18	A452.350.000	A452.320.000
22-26mm	16	70	34	23	A452.350.001	A452.320.001
28-34mm	19	95	52	27	A452.350.002	A452.320.002
35-38mm	25	117	66	36	A452.350.003	A452.320.003
41-45mm	29	117	62	40	A452.350.004	A452.320.004
48-51mm	35	140	75	50	A452.350.005	A452.320.005




镀铜亚光



镀镍拉丝

三维可调隐藏式合页 3D Adjustable Concealed Hinge VT35





- ▶ 三维可调范围：上下 ± 2.5 mm、左右 ± 2.0 mm、前后 ± 1 mm
With 3D adjustment: vertical ± 2.5 mm, horizontal ± 2.0 mm and depth ± 1 mm
- ▶ 开启角度 180°
Opening angle 180°
- ▶ 2个合页最大承重 30 kg
Max.door weight by 2 hinges 30 kg
- ▶ 门扇最小厚度 29 mm
Min.door thickness 29 mm
- ▶ 门扇最大宽度 900 mm
Max.door width 900 mm
- ▶ 门扇最大高度 2400 mm
Max.door height 2400 mm
- ▶ 不区分左右，方便安装
Hinge is not classify to left/right hand



*材质：锌合金 / Material: Zinc Alloy

颜色 Finish	产品编号 Article-No.
砂铬色 Satin chrome	A452.050.030
亮金色 Brass color polished	A452.080.030
哑黑色 Black matt	A452.150.030
枪黑色 Gun metal	A452.160.030

三维可调隐藏合页 3D Adjustable Concealed Hinge VB40




- ▶ 三维可调范围: 上下 ± 1 mm、左右 ± 1 mm、前后 ± 1 mm
With 3D adjustable: vertical ± 1 mm, depth ± 1 mm and horizontal ± 1 mm
- ▶ 2个合页最大承重 40 kg
Max. door weight by 2 hinges 40 kg
- ▶ 门扇最小厚度 30 mm
Min. door thickness 30 mm
- ▶ 门扇最大宽度 1000 mm
Max. door width 1000 mm



*材质: 锌合金 / Material: Zinc Alloy

颜色 Finish	左式 DL	右式 DR
砂镍 Satin nickel	A452.321.040	A452.322.040
亮铬 Chrome polished	A452.331.040	A452.332.040
砂铬 Satin chrome	A452.341.040	A452.342.040
亮金 Brass color polished	A452.351.040	A452.352.040
青古铜 Antique brass	A452.371.040	A452.372.040
红古铜 Antique copper	A452.381.040	A452.382.040
镍拉丝 Nickel matt brushed	A452.391.040	A452.392.040
金色拉丝 Brass matt brushed	A452.401.040	A452.402.040

三维可调隐藏式合页 3D Adjustable Concealed Hinge CH40-3D




- ▶ 三维可调范围：上下 ± 2 mm、左-2 mm 右+3 mm、前后 ± 1 mm
With 3D adjustment: vertical ± 2 mm, horizontal left -2 mm/ right +3 mm and depth ± 1 mm
- ▶ 开启角度 180°
Opening angle 180°
- ▶ 2个合页最大承重 40 kg
Max.door weight by 2 hinges 40 kg
- ▶ 适合门扇厚度 29-45 mm
For door thickness 29-45 mm
- ▶ 门扇最大宽度 850 mm
Max.door width 850 mm
- ▶ 门扇最大高度 2100 mm
Max.door height 2100 mm
- ▶ 不区分左右，方便安装
Hinge is not classify to left/right hand



*材质：锌合金 / Material: Zinc Alloy

颜色 Finish	产品编号 Article-No.
砂铬色 Satin chrome	A452.050.041
亮金色 Brass color polished	A452.080.041
哑黑色 Black matt	A452.150.041
枪黑色 Gun metal	A452.160.041

三维可调隐藏式合页 3D Adjustable Concealed Hinge VE50




- ▶ 三维可调范围：上下 ± 2 mm、左-2 mm 右+3 mm、前后 ± 1 mm
With 3D adjustment: vertical ± 2 mm, horizontal left -2 mm/ right +3 mm and depth ± 1 mm
- ▶ 开启角度 180°
Opening angle 180°
- ▶ 2个合页最大承重 50 kg
Max.door weight by 2 hinges 50 kg
- ▶ 适合门扇厚度 35-45 mm
For door thickness 35-45 mm
- ▶ 门扇最大宽度 900 mm
Max.door width 900 mm
- ▶ 门扇最大高度 2100 mm
Max.door height 2100 mm
- ▶ 不区分左右，方便安装
Hinge is not classify to left/right hand



*材质：锌合金 / Material: Zinc Alloy

颜色 Finish	产品编号 Article-No.
砂铬色 Satin chrome	A452.050.055
亮金色 Brass color polished	A452.080.055
哑黑色 Black matt	A452.150.055
枪黑色 Gun metal	A452.160.055

三维可调隐藏式合页 3D Adjustable Concealed Hinge CT50




- ▶ 三维可调范围：上下 ± 2.5 mm、左 -2.0 mm、右 $+3.5$ mm、前后 ± 1 mm
With 3D adjustment: vertical ± 2.5 mm, horizontal left -2.0 mm/ right $+3.5$ mm and depth ± 1 mm
- ▶ 2 个合页最大承重 50 kg
Max.door weight by 2 hinges 50 kg
- ▶ 适用门扇最小厚度 37-55 mm
For door thickness 37-55 mm
- ▶ 门扇最大宽度 900 mm
Max.door width 900 mm
- ▶ 门扇最大高度 2100 mm
Max.door height 2100 mm
- ▶ 不区分左右，方便安装
Hinge is not classify to left/right hand



*材质：锌合金 / Material: Zinc Alloy

颜色 Finish	产品编号 Article-No.
砂铬色 Satin chrome	A452.050.052
亮金色 Chrome polished	A452.080.052
拉丝金 Brass matt brushed	A452.070.052
哑黑色 Black matt	A452.150.052

三维可调隐藏式合页 3D Adjustable Concealed Hinge NK50





- ▶ 三维可调范围：上下 ± 2 mm、左-2mm、右+3.5mm, 前后 ± 1 mm
With 3D adjustment: vertical ± 2 mm, horizontal left -2mm / right +3.5 mm and depth ± 1 mm
- ▶ 开启角度 180°
Opening angle 180°
- ▶ 2个合页最大承重 50 kg
Max.door weight by 2 hinges 50 kg
- ▶ 门扇适用厚度 38-55 mm
For door thickness 38-55 mm
- ▶ 门扇最大宽度 900 mm
Max.door width 900 mm
- ▶ 门扇最大高度 2100 mm
Max.door height 2100 mm
- ▶ 不区分左右，方便安装
Hinge is not classify to left/right hand



*材质：锌合金 / Material: Zinc Alloy

颜色 Finish	产品编号 Article-No.
砂铬色 Satin chrome	A452.050.051
亮金色 Chrome polished	A452.080.051
拉丝金 Brass matt brushed	A452.070.051
哑黑色 Black matt	A452.150.051

三维可调隐藏合页 3D Adjustable Concealed Hinge VB60




- ▶ 三维可调范围: 上下 ± 1.5 mm、左右 ± 1 mm、前后 ± 1 mm
With 3D adjustable: vertical ± 1.5 mm, depth ± 1 mm and horizontal ± 1 mm
- ▶ 2个合页最大承重 60 kg
Max. door weight by 2 hinges 60 kg
- ▶ 门扇最小厚度 40 mm
Min. door thickness 40 mm
- ▶ 门扇最大宽度 1000 mm
Max. door width 1000 mm



*材质: 锌合金 / Material: Zinc Alloy

颜色 Finish	左式 DL	右式 DR
砂镍 Satin nickel	A452.321.060	A452.322.060
亮铬 Chrome polished	A452.331.060	A452.332.060
砂铬 Satin chrome	A452.341.060	A452.342.060
亮金 Brass color polished	A452.351.060	A452.352.060
青古铜 Antique brass	A452.371.060	A452.372.060
红古铜 Antique copper	A452.381.060	A452.382.060
镍拉丝 Nickel matt brushed	A452.391.060	A452.392.060
金色拉丝 Brass matt brushed	A452.401.060	A452.402.060

三维可调隐藏式合页 3D Adjustable Concealed Hinge VS60




- ▶ 三维可调范围：上下 ± 2.5 mm、左右 ± 2 mm、前后 ± 1 mm
With 3D adjustment: vertical ± 2.5 mm, depth ± 1 mm and horizontal ± 2 mm
- ▶ 开启角度 180°
Opening angle 180°
- ▶ 2 个合页最大承重 60 kg
Max.door weight by 2 hinges 60 kg
- ▶ 适合门扇厚度 38-55 mm
For door thickness 38-55 mm
- ▶ 门扇最大宽度 900 mm
Max.door width 900 mm
- ▶ 门扇最大高度 2100 mm
Max.door height 2100 mm
- ▶ 不区分左右，方便安装
Hinge is not classify to left/right hand



*材质: 锌合金 / Material: Zinc Alloy

颜色 Finish	产品编号 Article-No.
砂铬色 Satin Chrome	A452.340.060
亮金色 Brass color polished	A452.350.060
拉丝金 Brass matt brushed	A452.070.060
哑黑色 Black matt	A452.620.060
枪色 Gun metal	A452.160.060

三维可调隐藏式合页 3D Adjustable Concealed Hinge VE45B




- ▶ 三维可调范围: 上下 ± 2 mm、左-2 mm 右+4 mm、前后 ± 1 mm
With 3D adjustment: vertical ± 2 mm, horizontal left -2 mm/ right +4 mm and depth ± 1 mm
- ▶ 开启角度 180°
Opening angle 180°
- ▶ 2个合页最大承重 60 kg
Max.door weight by 2 hinges 60 kg
- ▶ 适合门扇厚度 36-55 mm
For door thickness 36-55 mm
- ▶ 门扇最大宽度 900 mm
Max.door width 900 mm
- ▶ 门扇最大高度 2100 mm
Max.door height 2100 mm
- ▶ 不区分左右, 方便安装
Hinge is not classify to left/right hand



*材质: 锌合金 / Material: Zinc Alloy

颜色 Finish	产品编号 Article-No.
砂铬色 Satin chrome	A452.050.065
亮金色 Brass color polished	A452.080.065
哑黑色 Black matt	A452.150.065

三维可调隐藏式合页 3D Adjustable Concealed Hinge VC60




- ▶ 三维可调范围：上下 $\pm 2\text{mm}$ 、左 -2mm 、右 $+3.5\text{mm}$ ，前后 $\pm 1\text{mm}$
With 3D adjustment: vertical $\pm 2\text{mm}$, horizontal left -2mm / right $+3.5\text{ mm}$ and depth $\pm 1\text{mm}$
- ▶ 开启角度 180°
Opening angle 180°
- ▶ 2个合页最大承重 60 kg
Max. door weight by 2 hinges 60 kg
- ▶ 适合门扇厚度 $38\text{-}55\text{ mm}$
For door thickness $38\text{-}55\text{ mm}$
- ▶ 门扇最大宽度 900 mm
Max. door width 900 mm
- ▶ 门扇最大高度 2100 mm
Max. door height 2100 mm
- ▶ 不区分左右，方便安装
Hinge is not classify to left/right hand



*材质：锌合金 / Material: Zinc Alloy

颜色 Finish	产品编号 Article-No.
砂铬色 Satin chrome	A452.340.061
亮金色 Brass color polished	A452.350.061
拉丝金 Brass matt brushed	A452.070.061
哑黑色 Black matt	A452.620.061
青古铜 Antique brass	A452.090.061

三维可调隐藏式合页 3D Adjustable Concealed Hinge NK300 / NK303





- ▶ 三维可调范围：上下 ± 2 mm、左-2 mm 右+3.5 mm、前后 ± 1 mm
With 3D adjustment: vertical ± 2 mm, horizontal left -2 mm/ right +3.5 mm and depth ± 1 mm
- ▶ 开启角度 180°
Opening angle 180°
- ▶ 2个合页最大承重 50 kg / 80 kg
Max. door weight by 2 hinges 50 kg / 80 kg
- ▶ 适合门扇厚度 38-55 mm
For door thickness 38-55 mm
- ▶ 门扇最大宽度 900 mm
Max. door width 900 mm
- ▶ 门扇最大高度 2100 mm
Max. door height 2100 mm
- ▶ 不区分左右，方便安装
Hinge is not classify to left/right hand

*材质：锌合金 / Material: Zinc Alloy

颜色 Finish	NK300 / 承重50Kg Load capacity 50Kg	NK303 / 承重80Kg Load capacity 80Kg
砂铬色 Satin chrome	A452.050.054	A452.050.084
亮金色 Brass color polished	A452.080.054	A452.080.084
枪黑色 Gun metal	A452.160.054	A452.160.084
哑黑色 Black matt	A452.150.054	A452.150.084



三维可调隐藏式合页 3D Adjustable Concealed Hinge VT60-X





- ▶ 三维可调范围: 上下 ± 2.0 mm、前后 ± 1 mm、左右-2mm、+4mm
With 3D adjustment: vertical ± 2.0 mm, depth ± 1 mm and horizontal -2mm、+4mm
- ▶ 开启角度 180°
Opening angle 180°
- ▶ 2个合页最大承重 90 kg
Max.door weight by 2 hinges 90 kg
- ▶ 适合门扇厚度 45-50 mm
For door thickness 45-50 mm
- ▶ 门扇最大宽度 900 mm
Max.door width 900 mm
- ▶ 门扇最大高度 2300 mm
Max.door height 2300 mm
- ▶ 不区分左右, 方便安装
Hinge is not classify to left/right hand

材质: 锌合金 / Material: Zinc Alloy

颜色 Finish	产品编号 Article-No.
镀镍色 Satin nickel	A452.030.067-X
砂铬色 Satin chrome	A452.050.067-X
青古铜色 Brass matt brushed	A452.090.067-X
红古铜色 Black matt	A452.110.067-X
哑黑色 Black matt	A452.150.067-X
枪色 Gun metal	A452.160.067-X



三维可调隐藏合页 3D Adjustable Concealed Hinge IN230



- ▶ 三维可调范围：上下 ± 2 mm、前后 ± 1 mm、左右 ± 1 mm
With 3D adjustment: vertical ± 2 mm, depth ± 1 mm, and horizontal ± 1 mm
- ▶ 通过欧洲 EN1634-2 防火标准 30 分钟防火
Fireproof certified 30 Min according UNI-EN 1634-2
- ▶ 开启角度 180°
Opening angle 180°
- ▶ 2个合页最大承重 60 kg
Max. door weight by 2 hinges 60 kg
- ▶ 门扇最小厚度 30 mm
Min. door thickness 30 mm
- ▶ 不区分左右，方便安装
Hinge is not classify to left/right hand



银色哑光



哑黑色




金色亮光

材质：锌合金 / Material: Zinc Alloy

颜色 Finish	合页 Hinge	装饰盖 Cap
银色哑光 Satinized Silver Plated	IN230120V702	GC230010J102
哑黑色 Matt black	IN2301209N02	GC2300109N02
金色亮光 Gold Polished	IN230120VO02	GC230010JO05

三维可调隐藏合页 3D Adjustable Concealed Hinge IN570





- ▶ 三维可调范围：上下 ± 2 mm、前后 ± 1 mm、左右 ± 1.5 mm
With 3D adjustment: vertical ± 2 mm, depth ± 1 mm, and horizontal ± 1.5 mm
- ▶ 开启角度 180°
- ▶ Opening angle 180°
- ▶ 2个合页最大承重 60 kg
- ▶ Max. door weight by 2 hinges 60 kg
- ▶ 门扇最小厚度 42 mm
- ▶ Min. door thickness 42 mm
- ▶ 不区分左右，方便安装
- ▶ Hinge is not classify to left/right hand



材质：锌合金 / Material: Zinc Alloy

颜色 Finish	产品编号 Article-No.
银灰色哑光 Satinized Silver Plated	INS70130V703
镀镍亚光 Satinized Nickel Plated	INS70130VN03



- ▶ 三维可调范围：上下 $\pm 2\text{mm}$ 、前后 $\pm 1\text{mm}$ 、左右 $\pm 1\text{mm}$
With 3D adjustment: vertical $\pm 2\text{mm}$, depth $\pm 1\text{mm}$, and horizontal $\pm 1\text{mm}$
- ▶ 通过欧洲 EN1634-2 防火标准 30 分钟防火
Fireproof certified 30 Min according UNI-EN 1634-2
- ▶ 开启角度 180°
Opening angle 180°
- ▶ 2个合页最大承重 60 kg / 80 kg
Max.door weight by 2 hinges 60 kg / 80 kg
- ▶ 不区分左右，方便安装
Hinge is not classify to left/right hand




材质：锌合金 / Material: Zinc Alloy

颜色 Finish	IN300 / 承重60Kg Load capacity 60Kg	IN303 / 承重80Kg Load capacity 80Kg	装饰盖 Cap
银色哑光 Satinized Silver Plated	IN300120V702	IN303120V702	GC300010J102
哑黑色 Matt black	IN3001209N02	IN303120VN02	GC3000109N02
金色亮光 Gold Polished	IN300120VO02	IN303120VO02	GC300010JO05
白色 White matt	IN3001209P02		GC3000109P02
镀镍哑光 Satinized Nickel Plated	IN300120VN02		GC300010J205

三维可调隐藏合页 3D Adjustable Concealed Hinge ECLIPSE 3.2 HD

AGB
Open, Close, Live



- ▶ 三维可调范围: 上下 ± 2 mm、左右 ± 1.5 mm、前后 ± 1 mm
With 3D adjustment: vertical ± 2 mm, horizontal ± 1.5 mm and depth ± 1 mm
- ▶ 开启角度 180°
Opening angle 180°
- ▶ 2个合页最大承重 60 kg
Max. door weight by 2 hinges 60 kg







材质: 锌合金 / Material: Zinc Alloy

颜色 Finish	合页 Hinge	装饰盖 铝合金 Cap Aluminum	装饰盖 塑料 Cap Plastic
金色亮光 Enamelled brass plated	E30200.61.03	E30200.16.03	
镀镍哑光 Nickel plated	E30200.61.06	E30200.16.06	
镀铬亚光 Matt chromium plated	E30200.61.34	E30200.16.34	E30200.45.44
白色 White	E30200.61.91	E30200.16.91	E30200.45.91
哑黑色 Matt black	E30200.61.93	E30200.16.93	

三维可调隐藏式合页 3D Adjustable Concealed Hinge Eclipse 5.0



Open, Close, Live




- ▶ 三维可调范围：上下 ± 3.0 mm、前后 ± 1.0 mm、左右 ± 3.0 mm
With 3D adjustment: vertical ± 3.0 mm, depth ± 1.0 mm and horizontal ± 3.0 mm
- ▶ 开启角度 180°
Opening angle 180°
- ▶ 2个合页最大承重 100 kg
Max. door weight by 2 hinges 100 kg
- ▶ 配套金属装饰盖，螺丝紧固
Flush steel cover supplied with screw fastented
- ▶ 不区分左右，方便安装
Hinge is not classify to left/right hand



材质：锌合金 / Material: Zinc Alloy

颜色 Finish	产品编号 Article-No.
镀镍色 Satin nickel	E30501.08.06
砂铬色 Satin chrome	E30501.08.34
亮金色 Brass color polished	E30501.08.03
红古铜色 Enamelled bronze plated	E30501.08.22
哑黑色 Black matt	E30501.08.93
白色 White matt	E30501.08.91

三维可调隐藏式合页 3D Adjustable Concealed Hinge VS80




- ▶ 三维可调范围：上下 ± 3 mm、左+3mm、右-2mm、前后 ± 1 mm
With 3D adjustment: vertical ± 3 mm, horizontal left +3 mm / right -2mm and depth ± 1 mm
- ▶ 开启角度 180°
Opening angle 180°
- ▶ 2个合页最大承重 80 kg
For door weight by 2 hinges 80 kg
- ▶ 适用门扇厚度 45-60 mm
For door thickness 45-60 mm
- ▶ 门扇最大宽度 900 mm
Max. door width 900 mm
- ▶ 不区分左右，方便安装
Hinge is not classify to left/right hand



*材质：锌合金 / Material: Zinc Alloy

颜色 Finish	产品编号 Article-No.
砂铬色 Satin chrome	A452.340.080
亮金色 Brass color polished	A452.350.080
拉丝金 Brass matt brushed	A452.070.080
哑黑色 Black matt	A452.620.080

三维可调隐藏合页 3D Adjustable Concealed Hinge AXUM 560




- ▶ 三维可调范围：上下 ± 2.0 mm、左 -2.0 mm 右 $+4.0$ mm、前后 ± 1.0 mm
With 3D adjustment: vertical ± 2.0 mm, horizontal left -2.0 mm/ right $+4.0$ mm and depth ± 1.0 mm
- ▶ 开启角度 180°
Opening angle 180°
- ▶ 2个合页最大承重 60 kg
Max. door weight by 2 hinges 60 kg
- ▶ 适合门扇厚度 36-55 mm
For door thickness 36-55 mm
- ▶ 门扇最大宽度 900 mm
Max. door width 900 mm
- ▶ 门扇最大高度 2100 mm
Max. door height 2100 mm
- ▶ 不区分左右，方便安装
Hinge is not classify to left/right hand

*材质：锌合金 / Material: Zinc Alloy

颜色 Finish	产品编号 Article-No.
黑色 Black matt	AXUM 560 GSC
羊绒灰 Cashmere grey	AXUM 560 KRG
镀镍色 Satin nickel	AXUM 560 SG
白色 White matt	AXUM 560 SW
拉丝金色 Brass matt brushed	AXUM 560 GO



三维可调隐藏式合页 3D Adjustable Concealed Hinge VS100




- ▶ 三维可调范围：上下 ± 3 mm、左+3 mm 右-2 mm、前后 ± 1 mm
With 3D adjustment: vertical ± 3 mm, horizontal left +3 mm/ right -2 mm and depth ± 1 mm
- ▶ 开启角度 180°
Opening angle 180°
- ▶ 2个合页最大承重 100 kg
Max.door weight by 2 hinges 100 kg
- ▶ 适合门扇厚度 55-75 mm
For door thickness 55-75 mm
- ▶ 门扇最大宽度 1000 mm
Max.door width 1000 mm
- ▶ 门扇最大高度 2300 mm
Max.door height 2300 mm
- ▶ 不区分左右，方便安装
Hinge is not classify to left/right hand



*材质：锌合金 / Material: Zinc Alloy

颜色 Finish	产品编号 Article-No.
砂铬色 Satin chrome	A452.050.101
亮金色 Brass color polished	A452.080.101
哑黑色 Black matt	A452.150.101
枪黑色 Gun metal	A452.160.101

三维可调隐藏式合页 3D Adjustable Concealed Hinge VS100-S




- ▶ 三维可调范围：上下 ± 3 mm、左右 ± 2 mm、前后 ± 1 mm
With 3D adjustment: vertical ± 3 mm, horizontal ± 2 mm and depth ± 1 mm
- ▶ 开启角度 180°
Opening angle 180°
- ▶ 2个合页最大承重 100 kg
Max.door weight by 2 hinges 100 kg
- ▶ 适合门扇厚度 40-65 mm
For door thickness 40-65 mm
- ▶ 门扇最大宽度 900 mm
Max.door width 900 mm
- ▶ 门扇最大高度 2300 mm
Max.door height 2300 mm
- ▶ 不区分左右，方便安装
Hinge is not classify to left/right hand

*材质：锌合金 / Material: Zinc Alloy

颜色 Finish	产品编号 Article-No.
砂铬色 Satin chrome	A452.050.102S
亮金色 Brass color polished	A452.080.102S
哑黑色 Black matt	A452.150.102S
枪黑色 Gun metal	A452.160.102S



三维可调隐藏式合页 3D Adjustable Concealed Hinge BS120



- ▶ 三维可调范围：上下 ± 3 mm、左右 ± 3 mm、前后 ± 1 mm
With 3D adjustment: vertical ± 3 mm, horizontal ± 3 mm and depth ± 1 mm
- ▶ 开启角度 180°
Opening angle 180°
- ▶ 2个合页最大承重 120 kg
Max. door weight by 2 hinges 120 kg
- ▶ 门扇最小厚度 38 mm
Min. door thickness 38 mm
- ▶ 门扇最大宽度 1000 mm
Max. door width 1000 mm
- ▶ 门扇最大高度 2400 mm
Max. door height 2400 mm
- ▶ 不区分左右，方便安装
Hinge is not classify to left/right hand



*材质：不锈钢 / Material: Stainless Steel

颜色 Finish	产品编号 Article-No.
不锈钢拉丝色 Stainless steel matt	A451.010.121



不锈钢拉丝色

二维可调隐藏式合页铝框门用 2D Adjustable Concealed Hinge DH120 for Alu Frame



- ▶ 二维可调范围: 上下 ± 3 mm、左右 ± 2 mm
With 2D adjustment: vertical ± 3 mm, horizontal ± 2 mm
- ▶ 开启角度 105°
Opening angle 105°
- ▶ 2个合页最大承重 120 kg
Max.door weight by 2 hinges 120 kg
- ▶ 门扇最小厚度 51 mm
Min. door thickness 51 mm
- ▶ 门扇最大宽度 1000 mm
Max.door width 1000 mm
- ▶ 不区分左右, 方便安装
Hinge is not classify to left/right hand




砂铬色

*材质: 铝合金 / Material: Aluminum

颜色 Finish	产品编号 Article-No.
砂铬色 Satin chrome	A453.050.122

三维可调隐藏式合页铝框门用 3D Adjustable Concealed Hinge DH150 for Alu Frame



- ▶ 三维可调范围：上下 ± 3 mm、左右 ± 1.5 mm、前后 ± 1 mm
With 3D adjustable: vertical ± 3 mm、 horizontal ± 1.5 mm and depth ± 1 mm
- ▶ 开启角度 100°
Opening angle 100°
- ▶ 2个合页最大承重 150 kg
Max.door weight by 2 hinges 150 kg
- ▶ 门扇最小厚度 60 mm
Min.door thickness 60 mm
- ▶ 门扇最大宽度 1200 mm
Max.door width 1200 mm
- ▶ 适用于DIN左开及右开门
Applicable for DIN left/right
- ▶ 适用于铝型材门
Applicable for aluminum doors

*材质：主体锌合金、摇臂铝型材


*Material: Zinc Alloy for body parts, Aluminum for joint parts

颜色 Finish	左式 DL	右式 DR
砂铬色 Satin chrome	A452.051.150	A452.052.150



砂铬色

隐藏式窄框合页 Concealed Hinge SH70A for Narrow Frame



- 2个合页最大承重 70 kg
Max.door weight by 2 hinges 70 kg
- 适合门扇厚度 30-60 mm
For door thickness 30-60 mm
- 门扇最大宽度 900 mm
Max.door width 900 mm
- 门扇最大高度 2100 mm
Max.door height 2100 mm
- 不区分左右，方便安装
Hinge is not classify to left/right hand


*材质：不锈钢 / Material: Stainless Steel

颜色 Finish	产品编号 Article-No.
哑黑色 Black matt	A452.150.070



哑黑色

二维隐藏式窄框合页 2D Concealed Hinge SH80A for Narrow Frame



- ▶ 二维可调范围：上下 ± 2 mm、左右 ± 1 mm
With 2D adjustment: vertical ± 2 mm, horizontal ± 1 mm
- ▶ 2个合页最大承重 80 kg
Max.door weight by 2 hinges 80 kg
- ▶ 适合门扇厚度 30-60 mm
For door thickness 30-60 mm
- ▶ 门扇最大宽度 900 mm
Max.door width 900 mm
- ▶ 门扇最大高度 2100 mm
Max.door height 2100 mm
- ▶ 不区分左右，方便安装
Hinge is not classify to left/right hand




哑黑色

*材质：不锈钢 / Material: Stainless Steel

颜色 Finish	产品编号 Article-No.
哑黑色 Black matt	A452.150.085

二维可调隐藏式合页 2D Adjustable Concealed Hinge ST-2D-200



- ▶ 二维可调范围：上下 ± 2 mm、前后 ± 2 mm
With 2D adjustable: vertical ± 2 mm and depth ± 2 mm
- ▶ 开启角度 180°
Opening angle 180°
- ▶ 2个合页最大承重 200 kg
Max. door weight by 2 hinges 200 kg
- ▶ 门扇最小厚度 60 mm
Min. door thickness 60 mm
- ▶ 适用于DIN左开及右开门
Applicable for DIN left/right





不锈钢拉丝色 PVD金色抛光 哑黑色

*材质：不锈钢 / Material: Stainless Steel

颜色 Finish	产品编号 Article-No.
不锈钢拉丝色 Stainless steel matt	A451.010.200
PVD金色抛光 PVD brass polished	A451.550.200
哑黑色 Black matt	A451.620.200

三维可调隐藏式合页 3D Adjustable Concealed Hinge ST-3D-120



- ▶ 三维可调范围：上下 ± 2 mm、前后 ± 1.5 mm、左右 ± 1.5 mm
With 3D adjustable: vertical ± 2 mm、depth ± 1.5 mm、and horizontal ± 1.5 mm
- ▶ 开启角度 180°
Opening angle 180°
- ▶ 2个合页最大承重 120 kg
Max.door weight by 2 hinges 120 kg
- ▶ 门扇最小厚度 40 mm
Min.door thickness 40 mm
- ▶ 适用于DIN左开及右开门
Applicable for DIN left/right






不锈钢拉丝色 PVD金色抛光 哑黑色

*材质：不锈钢 / Material: Stainless Steel

颜色 Finish	产品编号 Article-No.
不锈钢拉丝色 Stainless steel matt	A451.010.120
PVD金色抛光 PVD brass polished	A451.550.120
哑黑色 Black matt	A451.620.120

三维可调暗藏式自闭合页 3D Adjustable Concealed Self-Closing Hinge CH60D




- ▶ 每套含1只功能自闭合页，及2只普通承重合页
Per Kit with one hinge with self-closing device and one hinge without self-closing device with specific covers
- ▶ 1组（3只）合页最大承重 60 kg
Max. capacity 60 kg
- ▶ 三维可调范围：上下 ± 2.5 mm、左 -2.0 mm、右 $+3.5$ mm、前后 ± 1 mm
With 3D adjustment: vertical ± 2.5 mm, horizontal left -2.0 mm/ right $+3.5$ mm and depth ± 1 mm
- ▶ 开启角度 180°
Opening angle 180°
- ▶ 适用门扇厚度 36-55 mm
For door thickness 36-55 mm
- ▶ 门扇最大宽度 900 mm
Max. door width 900 mm
- ▶ 门扇最大高度 2100 mm
Max. door width weight 2100 mm
- ▶ 不区分左右，方便安装
Hinge is not classify to left/right hand



*材质：锌合金 / Material: Zinc Alloy

颜色 Finish	产品编号 Article-No.
砂铬色 Satin chrome	A452.050.062
亮金色 Brass color polished	A452.080.062
拉丝金 Brass matt brushed	A452.070.062
哑黑色 Black matt.	A452.150.062

自闭液压暗藏合页 ECLIPSE 3.2 HD SELF hinge



- ▶ 自闭功能
Self-closing
- ▶ 三维可调范围：上下±2mm、左右±1.5mm、前后±1mm
With 3D adjustment: vertical ±2mm, horizontal ±1.5mm and depth ±1 mm
- ▶ 开启角度 170°
Opening angle 170°
- ▶ 2个合页最大承重 60 kg
Max.door weight by 2 hinges 60 kg

*材质：锌合金 / Material: Zinc Alloy



颜色 Finish	合页 Hinge	装饰盖 铝合金 Cap Aluminum	装饰盖 塑料 Cap Plastic
镀铬亚光 Matt chromium plated	E39000.03.34	E30200.16.34	E30200.45.44



镀铬亚光



调节范围示意 Adjustment Instruction



闭门功能调节 ADJUSTMENTS OF CLOSING DEVICE:

- 闭锁速度调节（闭门行程的最后12°），2.5mm六角扳手；
- 最大开口角可调，2.5mm六角扳手；
- 关门速度可调，2.5mm六角扳手；
- 转动关门力度可调，12mm六角扳手

合页调节 ADJUSTMENTS OF HINGE:

- 垂直方向可调±2 mm，用3mm六角扳手
- 前后可调±1 mm，用3mm六角扳手；
- 水平方向可调-1.5/+2.5mm，用8mm六角扳手

- ▶ 每套含1只功能自闭合页，及1只普通承重合页
Per Kit with one hinge with self-closing device and one hinge without self-closing device with specific covers
- ▶ 1组（2只）合页最大承重 100 kg
Max. capacity 100 kg
- ▶ 开启角度 125°
Opening angle 125°
- ▶ 合页安装位置三维可调，自闭合页关门力度4档可调；
With 3d adjustment and 4 adjustments in closing



哑黑色

*材质：锌合金/ Material: Zinc Alloy

颜色	套装 含自闭合页及承重合页	承重合页
哑黑色 Matt black	E39001.01.87	E39001.02.87


自闭液压暗藏合页 Eclipse Self-Closing Concealed Hinge




Open, Close, Live

开孔示意 Milling Instruction


门框部分 Frame Part




门扇部分 Sash Part




门框部分 Frame Part



门扇部分 Sash Part



门扇转动示意图 Sash Rotation



偏轴门合页 Offset Pivot Hinge PH-O-120





标准产品配置




产品尺寸 (mm)

顶轴



地轴



产品型号

- ▶ 主体材质
- ▶ 双向开关门
- ▶ 轴芯离边最大门宽
- ▶ 底框内空宽度
- ▶ 最小门厚
- ▶ 最大门重
- ▶ 最大开启角度
- ▶ 90°辅助定位
- ▶ 闭速两段调节阀控制
- ▶ 闭门力矩
- ▶ 闭锁角度


PH-O-120

- 45#钢, 配不锈钢装饰盖
- √
- ≤1000mm
- ≥34mm
- 40mm
- 120kg
- 125°
- √
- √
- EN3
- 25°- 0°

材质: 不锈钢 / Material: Stainless Steel


颜色 Finish	产品编号 Article-No.
不锈钢哑黑色 / Stainless steel matt / black	A530.010.033

注: 顶轴为不锈钢拉丝, 地轴为不锈钢哑黑色




产品开孔

顶轴




地轴




产品分解

地轴




底座孔距

地轴




量尺减数参考

扣缝参考：以门厚45mm为例




液压范围



偏轴门合页 Offset Pivot Hinge PH-O-100

调节步骤

顶轴




1. 安装固定好门扇，如果需调节左右门缝(门扇厚度 $\leq 50\text{mm}$)，打开并垫平门扇，松两个六角螺丝(两圈牙)
2. 用六角扳手将齿轮左右拨动，门两边缝隙调到最佳效果。
3. 锁紧两个六角螺丝，左右调节完成

- 304不锈钢材质
- 可左右、内外调节
- 带过线孔
- 直径12mm精铸轴
- 可用于中轴、偏轴有框门

安装步骤

地轴



1. 确定安装位置，红外线仪器画线及钻孔，确保底座螺丝锁紧。按尺寸图或实物开孔，不同厚度的门扇，侧边留缝尺寸不同(以50mm门厚为例：两侧缝共 $\geq 8\text{mm}$ ，上下缝共 $\geq 15\text{mm}$)。

2. 将顶轴与地轴主体安装固定到门扇，主体转轴扳动90度成开门状态门框顶轴螺丝孔位需提前找准并钻好孔。

3. 顶轴套入上座，门扇成打开状态。垫平门扇稍斜角度套入底座并安装固定顶轴。

4. 根据上述方法与步骤，调节底座对位螺丝和顶轴螺丝，以校正垂直度于平行度。锁紧螺丝开关门扇，以确定操作顺畅及无异声。

5. 调节底座对位螺丝，以校正门扇角度及门缝大小。开关门扇，以确定操作顺畅及无异声。

6. 调节液动器上的阀门螺丝，达到符合需要的关门速度及闭锁力度。确保门扇功能与安装均符合要求，卡入不锈钢装饰盖，安装完成。




中轴门合页 Central Pivot Hinge PH100

标准产品配置




产品尺寸 (mm)

顶轴



地轴



产品型号

- ▶ 主体材质
- ▶ 双向开关门
- ▶ 轴芯离边最大门宽
- ▶ 底框内空宽度
- ▶ 最小门厚
- ▶ 最大门重
- ▶ 最大开启角度
- ▶ 90°辅助定位
- ▶ 闭速两段调节阀控制
- ▶ 闭门力矩
- ▶ 闭锁角度


PH100

- 45#钢, 配不锈钢装饰盖
- √
- ≤800mm
- ≥34mm
- 38mm
- 100kg
- 360°
- √
- √
- EN3
- 25°- 0°

材质: 不锈钢 / Material: Stainless Steel


颜色 Finish	产品编号 Article-No.
不锈钢哑黑色 / Stainless steel matt / black	A530.010.032

注: 顶轴为不锈钢拉丝, 地轴为不锈钢哑黑色




产品开孔

顶轴



地轴



产品分解

地轴




底座孔距

地轴



液压范围



量尺减数参考


扣缝参考: 以门厚45mm为例



中轴门合页 Central Pivot Hinge PH100

调节步骤

顶轴




1. 安装固定好门扇，如果需调节左右门缝(门扇厚度 $\leq 50\text{mm}$)，打开并垫平门扇，松两个六角螺丝(两圈牙)
2. 用六角扳手将齿轮左右拨动，门两边缝隙调到最佳效果。
3. 锁紧两个六角螺丝，左右调节完成

- 304不锈钢材质
- 可左右、内外调节
- 带过线孔
- 直径12mm精铸轴
- 可用于中轴、偏轴有框门

安装步骤

地轴



1. 确定安装位置，红外线仪器画线及钻孔，确保底座螺丝锁紧。按尺寸图或实物开孔，不同厚度的门扇，侧边留缝尺寸不同(以50mm门厚为例：两侧缝共 $\geq 8\text{mm}$ ，上下缝共 $\geq 15\text{mm}$)。


2. 将顶轴与地轴主体安装固定到门扇，顶轴套入上座，门扇成打开状态斜角度套入底座并安装固定顶轴。

3. 垫高及安装门扇，以保证门扇水平度。此时底座对位螺丝略为松开。

4. 转轴旋转90度成开门角度状态，转轴卡入底座并扶正门扇顶轴螺丝锁入预先钻好的孔内。按上述方法可调整左右门缝。

5. 调节底座对位螺丝，以校正门扇角度及门缝大小。开关门扇，以确定操作顺畅及无异声。

6. 调节液动器上的阀门螺丝，达到符合需要的关门速度及闭锁力度。确保门扇功能与安装均符合要求，卡入不锈钢装饰盖，安装完成。





微信公众号



小红书

艾森曼五金(北京)有限公司

Eisenmann Hardware Technology (Beijing) Co., Ltd.

北京市朝阳区朝阳门北大街乙12号

北京北辰大厦1201室

邮编: 100020

电话: +86-10-8563 6995

传真: +86-10-8563 6997

网址: www.eisenmann-hardware.com

邮箱: info@eisenmann-hardware.com

Rm.1201, Beijing Timeson Tower

No.Yi 12, Chaoyangmen North. Str.

Chaoyang District, Beijing, CHN-100020, China

Tel : +86-10-8563 6995

Fax : +86-10-8563 6997

Web : www.eisenmann-hardware.com

E-mail : info@eisenmann-hardware.com